

# Want to reach a captive woodworking and crafting audience?

Then be a sponsor of

CHIEF'S SHOP

Plan of the Week

Contact Chris Hill for more details chief@chiefs-shop.com 205-432-8013



## SIMPLE TOOL STAND



#### ABOUT THESE PLANS

On this first page you will see above the project complete. On the last page you'll find the finished outer dimensions. Be sure to read ALL of the project stepss before you start.

To the right is a list of the Lumber, Hardware/Supplies, and Tools you will need to complete this project. A measuring tape and pencil are not included because that should be pretty standard and self explanatory.

Below What You'll Need is the Parts list. This also is included on the Cutting Diagram page, which is the last page of this plan document.

Throughout these plans you'll find the icons below:



This indicates a diagram detailing the dimensions of a project part and/or the placement for pocket holes, screws, nails, etc.



Notes are the instructions for a particular step/section of the project.



This indicates when to pay close attention to the diagrams, take precautions for safety, etc.

#### WHAT YOU'LL NEED



#### LUMBER

1 - 1 x 2 x 4

1 - 1 x 2 x 8

4 - 2 x 4 x 8

1 - 3/4-inch x 4- x 8-foot sheet of plywood

(availability will vary)

#### HARDWARE/SUPPLIES

2 1/2" pocket hole screws 2 1/2" deck screws

1 1/4" deck screws

wood glue

#### TOOLS

miter saw circular saw w/Kreg Rip Cut jig saw drill/driver Kreg Pocket Hole Jig

power sander

clamps square



Legs (4) - 1 1/2 x 3 1/2 x 35 1/2 Top End Rails (2)

- 1 1/2 x 3 1/2 x 11 15/16 Bottom End Rails (2)

- 1 1/2 x 3 1/2 x 21 1/8

Side Rails (4) - 1 1/2 x 3 1/2 x 24

Bottom Shelf (1)

- 3/4 x 27 x 26 11/16

**Top (2)** - 3/4 x 28 1/2 x 28 1/2 **Short Trim (2)** - 3/4 x 1 1/2 x 28 1/2

**Long Trim (2)** - 3/4 x 1 1/2 x 28 1/2

Top Supports (2) - 1 1/2 x 3 1/2 x 4 1/2

All parts are listed in actual dimensions. Refer to the Cutting Diagram on the last page of this plan as a guide for determining the specific board from which to cut the parts.

#### MORE PLANS

Want more Chief's Shop plans? Visit chiefs-shop.com and look through the Plans section

Be sure to "Like" Chief's Shop on facebook by heading over to






**TPM** 

Use the layout as a guide for measuring, marking, and cutting the **Legs**. Each angle is 10 degrees.



This **Leg** length will create a **Tool Stand** with a height of 36". If you need a shorter finished project, reduce the length of the **Leg**. The rest of the project will not be affected by this dimension change.










Use the layouts as guides for measuring, marking, cutting, and drilling pocket holes in the **Top End Rail** and **Bottom End Rail**. Each angle is 10 degrees. Be sure to set your Kreg pocket hole jig and drill bit for 1 1/2-inch stock.














Use the layout as a guide for measuring, marking, cutting, and drilling pocket holes in the **Side Rails**. Be sure to set your Kreg pocket hole jig and drill bit for 1 1/2-inch stock.











Use the layout as a guide for measuring, marking, and cutting the **Shelf**.









With the assembly positioned on an end as shown, insert the narrow side of the **Shelf** into the assembly. Place U.S. nickels (coins) between the edge of the shelf and the **Legs** as spacers (blue arrows). Attach using 2 1/2-inch pocket screws (no glue). You'll only be driving three screws at this point.



Flip over the assembly and place it onto the other **End Assembly**. Position the **Side Rails** as described on **Page 4**, and attach to the **Legs** using 2 1/2-inch pocket screws. Drive a final screw into the **Bottom End Rail** and into the **Shelf** (this is the missing screw from the step above).










Use the layout as a guide for measuring, marking, and cutting the two **Top** parts.





Thoroughly apply glue to one face of the **Top** parts (do not apply glue to the better side of the plywood), position the edges flush, add a weight to the center, and clamp the sides. Allow the glue to set.





Position the **Short Trim** flush with the edge of the **Top Assembly** and attach using 1 1/4-inch deck screws only. Position the **Long Trim** flush with the ends of the **Short Trim** and attach using 1 1/4-inch deck screws only.










Use the layout as a guide for measuring, marking, and cutting the two **Top Supports**.










Position the **Top Supports** as shown and attach using 121/2-inch deck screws only. Be sure to drill countersunk pilot holes for the screws.






Position the **Base Assembly** centered on the **Top Assembly** and attach using 2 1/2-inch pocket screws only. If the **Top Assembly** is damaged and needs to be replaced, this step allows you to easily remove it and create another one.

There is no need to attach the **Top Assembly** to the **Top Supports**, but feel free at attach them using 2 1/2-inch deck screws (driven through the **Top Assembly** and into the **Top Supports**) if desired.





# CUTTING DIAGRAM





Follow ALL SAFETY GUIDELINES AND RECOMMENDATIONS provided by the manufacturers of your tools, and any chemicals such as glue and finishes you use in this project. YOU are responsible for your safety, so use common sense when working in the shop!



Legs (4) - 1 1/2 x 3 1/2 x 35 1/2 Top End Rails (2) - 1 1/2 x 3 1/2 x 11 15/16 Bottom End Rails (2) - 1 1/2 x 3 1/2 x 21 1/8 Side Rails (4) - 1 1/2 x 3 1/2 x 24 Bottom Shelf (1) - 3/4 x 27 x 26 11/16 Top (2) - 3/4 x 28 1/2 x 28 1/2 Short Trim (2) - 3/4 x 1 1/2 x 28 1/2 Long Trim (2) - 3/4 x 1 1/2 x 28 1/2

**Top Supports (2)** - 1 1/2 x 3 1/2 x 4 1/2

All parts are listed in actual dimensions. Refer to the Cutting Diagram on the last page of this plan as a guide for determining the specific board from which to cut the parts.



## SIMPLE WOODWORKING: TOOL STAND

